

REPSN[®]

suzhou . china




LED S STRIP LIGHT

SMD2835

RSS-2835-120-12



RSS-2835-60-12



CSS-2835-30-12



CE RoHS FC

APPLICATION

Super small print, narrow space lighting
Interior decoration, such as bar and disco



FEATURES

- » Every 3 leds cuttable
- » Customization according requirement
- » Easy installation

SPECIFICATIONS

| Product number | CSS-2835-30-12 | RSS-2835-60-12 | RSS-2835-120-12 |
|---------------------|----------------|----------------|-----------------|
| Number of LEDs | 30pcs/m | 60pcs/m | 120pcs/m |
| Voltage | DC12V | DC12V | DC12V |
| Power | ≤9W | ≤9W | ≤9W |
| Lumen | 540-720lm | 540-720lm | 540-720lm |
| Beam angle | 120° | 120° | 120° |
| Protection level | Ip20 | Ip20 | Ip20 |
| working environment | -25--+60°C | -25--+60°C | -25--+60°C |
| product weight | 50m/reel | 20m/reel | 10m/reel |

LIGHT DISTRIBUTION CHARACTERISTICS



Accessories FIG

SMPS




Waterproof 60W



Waterproof 100W



Waterproof 200W



Waterproof 60W



Indoor 35W

2.4GHz REMOTE CONTROLLER




Model: RPS-CONTROL-SC-10A
 Voltage: 9V/12V/24V
 working voltage: 4.5V
 Power: 90W/120W/240W
 Control: 20M

3M DOUBLE FACE GLUE TAPE




DIMENSION

RSS-2835-120-12



RSS-2835-60-12



CSS-2835-30-12



COLOR AVAILABLE



Cool white
(Above 9000K)

White
(6000~6500K)

Neutral white
(3800~4300K)

Warm white
(2800~3300K)


Yellow

Red

Green

Blue

INSTALLATION DIAGRAM



PACKING METHOD



5 Meter Per Roll



1PC in an antistatic bag



35PCS in a carton



SUZHOU REPSN PHOTOELECTRIC TECHNOLOGY CO.,LTD.

Add: NO.999 Xingdong Rd Wangshan industrial park Wuzhong district.Suzhou city,China

Tel: +86-0512-66536260

Http: //www.repsn.com Mail: led@repsn.com